


Going to Gers lake from Samoëns

CC des Montagnes du Giffre - Samoëns



(@julietteBuret)



Easy hike to the lake under the shade.

Come and discover the secrets of mountain lakes and forest management in a comprehensive way. No stonewalling, we promise.

Useful information

Practice : Summer hike

Duration : 3 h

Length : 12.1 km

Trek ascent : 467 m

Difficulty : Medium

Type : Aller-retour

Themes : Ecogeste, Lac et glacier


Trek

Departure : "Pont de Lédédian" bridge, Samoëns

Arrival : "Pont de Lédédian" bridge, Samoëns

Cities : 1. Samoëns
2. Sixt-Fer-à-Cheval


Altimetric profile



Min elevation 1125 m Max elevation 1534 m


The hike begins after the Lédédian bridge in Samoëns. Take the forest trail which rises quite steeply to the "Roux" hamlet. Ignore the junctions to the left and stay on the wide trail towards the Porte Chalets, Refuge and Gers Lake. You'll enjoy views of the Criou mountain and the Giffre valley. At the Porte Chalets, you can marvel at Grenier de Commune and Mont Buet. Keep right on the forest path which will take you to the wonderful Gers valley and its alpine pastures. From right to left, you can see the following peaks in front of you: Tête de Véret, Tête de Balacha and Tête Pelouse. Take the same route back to the Pont de Lédédian.


On your path...




 The black woodpecker (A)

 Forest management: sanitation cutting (C)

 Can a mountain lake just disappear? (E)

 Dehydrated trees: red colour is a sign of trouble (B)

 What can you do to help protect mountain lakes? (D)

All useful information

Animaux acceptés

Votre chien est autorisé dans cette zone d'espace naturel. Il est conseillé de le tenir en laisse. À l'approche d'un troupeau, il est obligatoire de lui mettre une laisse. Par sa présence, son odeur et ses déjections, votre chien peut perturber la biodiversité. Sa divagation dans la nature peut avoir des conséquences lourdes pour la faune sauvage et les troupeaux (transmission de germes, stress de la faune sauvage, destruction des couvées au sol). Les chiens sont interdits en cœur de parcs nationaux et dans la plupart des réserves naturelles.

Advices

Always be careful and plan ahead when hiking. Asters, CEN 74 can not be held responsible for the occurrence of any accident or incident on this trail. Stay on the trails! Dogs should be kept on a leash and swimming is not recommended.

How to come ?

Transports

Access

Take the D907 road to Samoëns, then head towards Samoëns 1600 and the Plateau des Saix. Shortly after passing the Plaigne (Hameau de la Plaigne), take a narrow road on your left towards Lédédian and the Lac de Gers refuge car park. Keep your eyes open as this narrow road can be easily missed.

Advised parking

Lédédian parking area, near Pont (Bridge) de Lédédian, Samoëns

On your path...



🦉 The black woodpecker (A)

It is the largest of the 8 woodpecker species found in France. It is a cavernicolous species, meaning that it digs cavities in trees to build its nest and lay its eggs! This is known as a "lodge". These lodges are often reused by other species, known as "host species", whether they be birds, such as the small mountain owls (Little Owl or Tengmalm), or mammals, such as the Pine Marten, a mustelid, cousin of the Weasel. Although this species is not endangered, it is important to keep this bird in mind when doing forestry work (avoid building sites when it is breeding). The depletion of dead wood and senescent trees in forests is threatening its habitat.

Attribution : @Asters-CEN74



🌿 Dehydrated trees: red colour is a sign of trouble (B)

The effects of climate change, water shortage and repeated droughts are weakening trees, particularly spruces and firs. Despite their ability to gradually adapt to the water shortage, several tree species are increasingly dying out. Trees regulate their transpiration by closing the stomates ("pores") in their leaves, thereby curbing their growth. This closure leads to overheating, which can be fatal for the species. Trees, already weakened by these factors, can no longer fend off attacks from parasites. Certain insects (bark beetles) dig burrows under the bark of spruce trees, feeding on the wood and sap, further exacerbating the death rate with alarming intensity. Attacked trees can be identified by the change in colour of their needles, which turn from green to brown. The rate of migration and adaptation of trees (which live for more than a hundred years) is too slow to keep up with the pace of change. Forest managers are experimenting with planting species that are more resistant to climate change.



🌿 Forest management: sanitation cutting (C)

French forests are facing numerous challenges related to climate change, which are affecting their vitality and productivity. To ensure their long-term survival and versatility, management actions are carried out by forestry experts. They are carrying out clear-cuts or sanitation cuts. Although the general public sees these actions as massive deforestation, they are actually necessary in order to : - curb an epidemic of bark beetles (insect pests) that spread over a forest area in a very alarming way. -combat fires that tend to happen in areas with dead dry wood - reuse the precious wood locally (heating, construction, toilet paper, etc.). Each forest is different, and each management decision has to be taken on the basis of a number of parameters: surface area, species, neighbouring forests, global warming, the owner's requirements, the impact on the landscape, the environment or the economy, etc. The decisions to carry out these operations therefore lie with the owners. In France, 75% of forests belong to private owners. The regulations governing forestry joint enterprises and legislation remain unclear, despite requests for logging permits and regional development plans. When you enter a forest on a signposted trail, the absence of any signs (you would have seen the signs in a national forest) means that you are in a private forest.

Attribution : @julietteBuret



🌊 What can you do to help protect mountain lakes? (D)

The dangers facing high-altitude lakes are both local and global. At the lakeside, limiting noise pollution or littering is a given in view of such natural splendour. But other positive actions also help to protect the banks and the water. You should avoid treading on the banks by staying on the trails and limit direct pollution of the water (sun cream, or bringing invasive or parasitic species on the buoys). Last but not least, swirling sediment from swimming has a detrimental impact on the flora and fauna of these lakes. The thermal conditions in these environments are extreme, and each species' regrowth cycle is particularly slow. Admittedly, it's a real challenge to dare to swim in a high-altitude lake, but when you swim in a lake too often, you will invariably negatively impact such a beautiful lake. We're counting on you to be thoughtful and help protect these beautiful lakes!

Attribution : @ClotildeRemusat



🌐 Can a mountain lake just disappear? (E)

Lakes are evolving ecosystems. They form and then dissolve over a long period of time. In fact, most lakes are bound to fill up and eventually disappear, as a result of slow, gradual processes of sediment deposition. The rate of filling varies from lake to lake. It depends on the amount of sediment input and the nutrient content of the water. Nutrient enrichment of lake water can be accelerated by human activity. Recreational activities such as camping and swimming bring in large quantities of organic matter, which gradually degrades the natural state of the lake.

Attribution : @ClotildeRemusat